

U.S. Patent Application No. 10/829,071  
Reply to Office Action dated April 24, 2006

PATENT  
450100-05025

### IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. An identifier indicating the status of each claim is provided.

#### Listing of Claims

1. (Currently Amended) A retrieving device connected with N other retrieving devices to form a retrieving system, said retrieving device comprising:
  - retrieving means for retrieving a memory part corresponding to retrieval data from memory parts possessed by the retrieving means itself;
  - first output control means for controlling output of an initial signal to said other retrieving devices;
  - second output control means for controlling output of a retrieval result signal indicating whether or not a said memory part corresponding to said retrieval data is retrieved by said retrieving means to said other retrieving devices;
  - N first input means connected to said other retrieving devices, for inputting said retrieval result signals or initial signals from said other retrieving devices;
  - second input means for inputting a reference signal;
  - obtaining means for obtaining a priority signal in which said initial signals and said reference signal are disposed according to a predetermined priority;
  - detecting means for detecting said first input means that input said initial signal of higher priority than the priority corresponding to said reference signal, on the basis of said priority signal;

U.S. Patent Application No. 10/829,071  
Reply to Office Action dated April 24, 2006

PATENT  
450100-05025

output means for detecting a predetermined memory part from said memory part retrieved by said retrieving means and outputting the predetermined memory part as a retrieval result of said retrieving system as a whole according to a content of said retrieval result signal inputted by said first input means detected by said detecting means; and

performing means for determining that no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices on the basis of said retrieval result signals inputted by said first input means, and performing predetermined processing when no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices.

2. (Currently Amended) A retrieving method for a retrieving device, said retrieving device being connected with N other retrieving devices to form a retrieving system, and including: retrieving means for retrieving a memory part corresponding to retrieval data from memory parts possessed by the retrieving means itself; first output control means for controlling output of an initial signal to said other retrieving devices; second output control means for controlling output of a retrieval result signal indicating whether or not a said memory part corresponding to said retrieval data is retrieved by said retrieving means to said other retrieving devices; N first input means connected to said other retrieving devices, for inputting ~~said~~ retrieval result signals or initial signals from said other retrieving devices; and second input means for inputting a reference signal, said retrieving method comprising:

an obtaining step for obtaining a priority signal in which said initial signals and said reference signal are disposed according to a predetermined priority;

U.S. Patent Application No. 10/829,071  
Reply to Office Action dated April 24, 2006

PATENT  
450100-05025

a detecting step for detecting said first input means that input said initial signal of higher priority than the priority corresponding to said reference signal, on the basis of said priority signal;

an output step for detecting a predetermined memory part from said memory part retrieved by processing of said retrieving step and outputting the predetermined memory part as a retrieval result of said retrieving system as a whole according to a content of said retrieval result signal inputted by said first input means detected by processing of said detecting step; and

a performing step for determining that no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices on the basis of said retrieval result signals inputted by said first input means, and performing predetermined processing when no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices.

3. (Currently Amended) A recording medium on which a computer readable program for a retrieving device is recorded, said retrieving device being connected with N other retrieving devices to form a retrieving system, and including: retrieving means for retrieving a memory part corresponding to retrieval data from memory parts possessed by the retrieving means itself; first output control means for controlling output of an initial signal to said other retrieving devices; second output control means for controlling output of a retrieval result signal indicating whether or not a said memory part corresponding to said retrieval data is retrieved by said retrieving means to said other retrieving devices; N first input means connected to said other retrieving devices, for inputting ~~said~~ retrieval result signals or initial signals from said other retrieving devices; and second input means for inputting a reference signal, said computer readable program for said retrieving device comprising:

U.S. Patent Application No. 10/829,071  
Reply to Office Action dated April 24, 2006

PATENT  
450100-05025

an obtaining step for obtaining a priority signal in which said initial signals and said reference signal are disposed according to a predetermined priority;

a detecting step for detecting said first input means that input said initial signal of higher priority than the priority corresponding to said reference signal, on the basis of said priority signal;

an output step for detecting a predetermined memory part from said memory part retrieved by processing of said retrieving step and outputting the predetermined memory part as a retrieval result of said retrieving system as a whole according to a content of said retrieval result signal inputted by said first input means detected by processing of said detecting step; and

a performing step for determining that no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices on the basis of said retrieval result signals inputted by said first input means, and performing predetermined processing when no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices.

4. (Currently Amended) A program for a retrieving device, said retrieving device being connected with N other retrieving devices to form a retrieving system, and including: retrieving means for retrieving a memory part corresponding to retrieval data from memory parts possessed by the retrieving means itself; first output control means for controlling output of an initial signal to said other retrieving devices; second output control means for controlling output of a retrieval result signal indicating whether or not a said memory part corresponding to said retrieval data is retrieved by said retrieving means to said other retrieving devices; N first input means connected to said other retrieving devices, for inputting said retrieval result signals or initial signals from said other retrieving devices; and second input

U.S. Patent Application No. 10/829,071  
Reply to Office Action dated April 24, 2006

PATENT  
450100-05025

means for inputting a reference signal, said program making a computer perform processing comprising:

an obtaining step for obtaining a priority signal in which said initial signals and said reference signal are disposed according to a predetermined priority;

a detecting step for detecting said first input means that input said initial signal of higher priority than the priority corresponding to said reference signal, on the basis of said priority signal;

an output step for detecting a predetermined memory part from said memory part retrieved by processing of said retrieving step and outputting the predetermined memory part as a retrieval result of said retrieving system as a whole according to a content of said retrieval result signal inputted by said first input means detected by processing of said detecting step; and

a performing step for determining that no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices on the basis of said retrieval result signals inputted by said first input means, and performing predetermined processing when no memory part corresponding to said retrieval data is retrieved in all said other retrieving devices.